

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128463

Product Info

Date of Certification January 15, 2024

Company Zyxel Communications Corporation

Product Name Tri-Band Wireless BE19000 10G Ethernet IAD with SFP+

Product Model Variant EE6601-00

Model Number EE6601-00

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|----------------|---------------|
|----------------|---------------|

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA128463

| Role: Access Point | Page 2 of 3 |
|--------------------|-------------|
| | |

Wi-Fi Components

Wi-Fi Component Operating System

Linux version 4.19.275

Wi-Fi Component Firmware

5.04L.04p2

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 4 | 4 |
| 5 GHz | 4 | 4 |
| 6 GHz | 4 | 4 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

Spectrum & Regulatory (continued)

802.11d 802.11h

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

AKM 24

Beacon Protection

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

Protected Management Frames

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Page 3 of 3

Certification ID: WFA128463

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Operating Mode indication

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

BSRP Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration – AP restart

Multi-RU

Operating Mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

Wi-Fi CERTIFIED 7™ (continued)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC