



Number: 232340170/AA/00

Issue Date: 26 September 2023

Expiration Date:

Page 1 of 6

UKCA TYPE EXAMINATION CERTIFICATE (Module B)

In compliance with the procedure specified in M009, Kiwa Ltd. declares as approved body for UKCA 0558 for the Radio Equipment Regulations 2017, that the stated product, complies with the essential requirements, in accordance with part 2 (chapter 1) of Radio Equipment Regulations, as indicated under Annex 1 of this certificate, based on the applicable Technical Standards and Specifications as listed under Annex 2 of this Certificate.

Product description: Dual-Band Wireless AX6000 Gigabit Ethernet Gateway

Trademark: ZYXEL
Type designation: EX3600-T0

This certificate is granted to manufacturer:

Name: Zyxel Communications Corporation

Address: No.2 Industry East RD. IX, Hsinchu Science Park,

City: Hsinchu 30075, Country: Taiwan, R.O.C.

This certificate remains valid as long as the stated product stays in compliance with the essential requirements of the Radio Equipment Regulations 2017.

This certificate has THREE Annexes.

Signed on behalf of Kiwa Ltd. (UK Approved Body Number 0558)

Gürhan Vural Product Assessor





F +44 (0)1242 676506 www.kiwa.co.uk



UKCA Type Examination Certificate (page 2 of 6)

Annex 1 to certificate 232340170/AA/00

General Conditions

For each product to which this type examination relates, it has complied to the essential requirements as follows:

Article 6.1

Radio equipment shall be constructed so as to ensure:

- C (a) the protection of health and safety of persons and of domestic animals and the protection of property, including the objectives with respect to safety requirements set out in the Electrical Equipment (Safety) Regulations 2016,
- C (b) an adequate level of electromagnetic compatibility as set out in the Electromagnetic Compatibility Regulations 2016.

Article 6.2

Radio equipment must be constructed so that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

Legend

C = Conform NC = Not Conform

NA = Not applicable (for this equipment)
NP = Not performed (in this statement)

UKCA Type Examination Certificate (page 3 of 6)

Annex 1 to certificate 232340170/AA/00

- This UKCA-type examination certificate is limited to the Radio Equipment Regulations.
- This UKCA-type examination certificate is part of the Conformity Assessment procedure Modules B and C, as described in annex III of the Radio Equipment Regulations.
- The validity of this UKCA type examination certificate is limited to products, which are equal to the one(s) assessed for this type Examination.
- The manufacturer has to draw up and issue a self Declaration of Conformity, declaring that the product(s) described in this UKCA-type examination certificate, are in compliance with Radio Equipment Regulations 2017 and any other applicable harmonization legislation.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Kiwa Ltd. shall be notified immediately. Depending on the modifications, Kiwa Ltd. may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new amending regulation voids the validity of this UKCA-type examination certificate.
- In case any referenced standard in this UKCA-type examination certificate is withdrawn or superseded and the
 presumption of conformity with the essential requirements has ceased, investigation by Kiwa Ltd. is needed to determine
 the validity of this type examination.

Remarks and observations

The following conditions are applicable:

Device is restricted to indoor use only when operating within 5150-5350 MHz frequency range.

Device has beam forming capabilities.

DFS: Master

UKCA Type Examination Certificate (page 4 of 6)

Annex 2 to certificate 232340170/AA/00

Documentation lodged for this type examination

Test Reports:

- International Certification Corp.: EC372803, 19 September 2023
- International Certification Corp.: EH372803, 19 September 2023
- International Certification Corp.: ER372803AC, 19 September 2023
- International Certification Corp.: ER372803AN, 19 September 2023
- International Certification Corp.: EY372803, 19 September 2023
- International Certification Corp.: EA372803, 19 September 2023
- Wendell Electrical Testing Lab.: WL23G1902-L0, 21 August 2023
- International Certification Corp.: UR372803AN, 19 September 2023
- International Certification Corp.: UA372803, 19 September 2023

Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Internal photos
- External photos
- Manual
- Label and label placement
- Test setup photos
- Risk assessment
- Packaging information

Technical Standards and Specifications

The product is compliant with:

BS EN 50385 Nov. 2017 November, 2017 BS EN 50665 **BS EN IEC 62311** Feb. 2020 EN 300 328 July, 2019 EN 301 489-1 November, 2019 EN 301 489-17 September, 2020 EN 301 893 May, 2017 EN 50385 October, 2017 EN 50665 November, 2017 EN 55032:2015+A1:2020 December, 2020 EN 55035:2017+A11:2020 May, 2020 EN IEC 62311 January, 2020 March. 2020 EN IEC 62368-1:2020+A11:2020 March, 2023 IR 2030 - UK Interface Requirements 2030

Technical features and characteristics

The product includes the following features and characteristics:

IEEE 802.11b/g/n/ac/ax (20/40 MHz)

- Operating frequency range: 2412-2472 MHz (13/9 channels)
 Maximum output power: 19.59 dBm EIRP average (calculated)
- Maximum antenna gain: 4 dBi

V2.2.2

V2.2.3 V3.2.4

V2.1.1

UKCA Type Examination Certificate (page 5 of 6)

Annex 2 to certificate 232340170/AA/00

IEEE 802.11a/n/ac/ax (20/40/80/160 MHz)

- Operating frequency range: 5180-5240 MHz (4/2/1/1 channels) Maximum output power: 22.53 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

IEEE 802.11a/n/ac/ax (20/40/80/160 MHz)

- Operating frequency range: 5260-5320 MHz (4/2/1/1 channels)
 Maximum output power: 22.85 dBm EIRP average (calculated)
 Maximum antenna gain: 5 dBi

IEEE 802.11a/n/ac/ax (20/40/80/160 MHz)

- Operating frequency range: 5500-5700 MHz (11/5/2/1 channels)
 Maximum output power: 27.80 dBm EIRP average (calculated)
 Maximum antenna gain: 3.5 dBi

IEEE 802.11a/n/ac/ax (20/40/80 MHz)

- Operating frequency range: 5745-5825 MHz (5/2/1 channels)
 Maximum output power: 22.62 dBm EIRP average (calculated)
 Maximum antenna gain: 2.5 dBi

UKCA Type Examination Certificate (page 6 of 6)

Annex 3 to certificate 232340170/AA/00

The product as described in this type examination includes the following type designations:

- Product description: Dual-Band Wireless AX6000 Gigabit Ethernet Gateway

- Trademark: ZYXEL- Type designation: EX3600-T0