

DX5401-B0/DX5401-B1/EX5401-B0/EX5401-B1 Generic

Firmware Release Note

V5.17(ABYO.6.5)C0

Date: Jan 22, 2025
Author: Ryan Yeh

THIS DOCUMENT CONTAINS PROPRIETARY TECHNICAL INFORMATION THAT IS THE PROPERTY OF THE ZYXEL AND SHOULD NOT BE DISCLOSED TO OTHERS IN WHOLE OR IN PART, REPRODUCED, COPIED, OR USED AS BASIS FOR DESIGN, MANUFACTURING OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION OF ZYXEL.

TABLE OF CONTENTS

REVISION HISTORY 3

SUPPORTED PLATFORMS: 5

VERSIONS: 5

NOTES: 5

KNOWN ISSUES 6

NOTIFICATION 6

MODIFICATIONS IN V5.17(ABYO.6.5)C0..... 6

MODIFICATIONS IN V5.17(ABYO.6.5)B1 6

Revision History

Date	Release	Author	Description
2020/10/23	1.0	Emily Chang	V5.17(ABYO.0)b1
2020/12/04	1.1	Emily Chang	V5.17(ABYO.0)b2
2021/01/13	1.2	Emily Chang	V5.17(ABYO.0)b3
2021/03/12	1.3	Emily Chang	V5.17(ABYO.0)b4
2021/03/26	1.4	Emily Chang	V5.17(ABYO.0)b5
2021/04/26	1.5	Emily Chang	V5.17(ABYO.0)b6
2021/04/26	1.6	Emily Chang	V5.17(ABYO.0)C0
2021/04/26	2.0	Emily Chang	V5.17(ABYO.1)b2
2021/05/21	2.1	Emily Chang	V5.17(ABYO.1)b3
2021/06/18	2.2	Emily Chang	V5.17(ABYO.1)b4
2021/10/15	3.0	Tom Fang	V5.17(ABYO.2)b1
2021/12/29	3.1	Tom Fang	V5.17(ABYO.2)b2
2022/03/10	3.2	Tom Fang	V5.17(ABYO.2)b3
2022/04/26	3.3	Tom Fang	V5.17(ABYO.2)b4
2022/05/13	3.5	Tom Fang	V5.17(ABYO.2)b5
2022/08/03	3.7	Tom Fang	V5.17(ABYO.2)b6
2022/08/22	4.0	Tom Fang	V5.17(ABYO.2)C0
2022/04/27	3.4	Ryan Yeh	V5.17(ABYO.3)b1
2022/06/27	3.6	Tom Fang	V5.17(ABYO.3)b2
2022/08/22	3.9	Tom Fang	V5.17(ABYO.3)b3
2022/09/12	4.1	Tom Fang	V5.17(ABYO.3)C0
2022/08/12	3.8	Tom Fang	V5.17(ABYO.4)b1
2022/09/19	4.2	Ryan Yeh	V5.17(ABYO.4)b2
2022/11/01	4.3	Ryan Yeh	V5.17(ABYO.4)b3
2023/01/03	4.4	Ryan Yeh	V5.17(ABYO.4)b4
2023/02/15	4.5	Ryan Yeh	V5.17(ABYO.4)b5
2023/04/21	4.6	Ryan Yeh	V5.17(ABYO.4)b6
2023/05/02	4.7	Ryan Yeh	V5.17(ABYO.4)C0
2023/04/28	4.8	Ryan Yeh	V5.17(ABYO.5)b2
2023/06/16	4.9	Ryan Yeh	V5.17(ABYO.5)b3

2023/07/28	4.10	Ryan Yeh	V5.17(ABYO.5)b4
2023/08/11	4.11	Ryan Yeh	V5.17(ABYO.5)b5
2023/08/25	4.12	Ryan Yeh	V5.17(ABYO.5)C0
2023/12/15	5.1	Ryan Yeh	V5.17(ABYO.6)b2
2024/03/01	5.2	Ryan Yeh	V5.17(ABYO.6)b3
2024/03/29	5.3	Ryan Yeh	V5.17(ABYO.6)b4
2024/04/24	5.4	Ryan Yeh	V5.17(ABYO.6)C0
2024/05/29	5.5	Ryan Yeh	V5.17(ABYO.6.1)b1
2024/05/29	5.6	Ryan Yeh	V5.17(ABYO.6.1)C0
2024/06/28	5.7	Ryan Yeh	V5.17(ABYO.6.2)b1
2024/06/28	5.8	Ryan Yeh	V5.17(ABYO.6.2)C0
2024/08/01	5.9	Ryan Yeh	V5.17(ABYO.6.3)b1
2024/08/01	5.10	Ryan Yeh	V5.17(ABYO.6.3)C0
2024/10/04	5.11	Ryan Yeh	V5.17(ABYO.6.4)b1
2024/10/04	5.12	Ryan Yeh	V5.17(ABYO.6.4)C0
2025/01/22	5.13	Ryan Yeh	V5.17(ABYO.6.5)b1
2025/01/22	5.14	Ryan Yeh	V5.17(ABYO.6.5)C0

ZYXEL DX5401-B0/DX5401-B1/EX5401-B0/EX5401-B1 V5.17(ABYO.6.5)C0 Release Note

Date: Jan 22, 2025

Supported Platforms:

ZYXEL DX5401-B0/DX5401-B1/EX5401-B0/EX5401-B1
DX/EX5401-B1 only supports versions since phase 3.

Versions:

Bootbase version: V1.69 | 08/10/2023 16:58:22
Firmware version : V5.17(ABYO.6.5)C0
Kernel version: 4.1.52
DSL modem code version: A2pvfbH045o
DSL driver version: d27j
WLAN version: 17.10.188.75 (r811021) [ec47fb4a] FWID 01-6584eef9
3G dongle WWAN package version: 1.24

Notes:

Linux console:
uname -a
adsl --version
wl ver
wwanpackage info

Known issues

Notification

1. OpenSSL 3.1.2 Upgrade Notification

The certificates signed using SHA1 or older/weaker hashes are no longer supported for authenticating servers or clients.

Before upgrading the firmware:

- Please ensure that certificates in your devices are not using weak hashes.
- If weak hashes are detected, kindly update and verify your certificates promptly with stronger hash
(The minimum recommended hash is SHA256)

Modifications in V5.17(ABYO.6.5)C0

Based on V5.17(ABYO.6.5)b1 to release V5.17(ABYO.6.5)C0

[FEATURE ENHANCEMENT]

[BUG FIX]

Modifications in V5.17(ABYO.6.5)b1

Based on V5.17(ABYO.6.4)C0 to release V5.17(ABYO.6.5)b1

[FEATURE ENHANCEMENT]

[BUG FIX]

1. [CVE-2024-12009] Zyxel-SI-1591 [Vulnerability] Post-authentication command injection vulnerability in the function "ZyEE"
2. [CVE-2024-12010] Zyxel-SI-1592 [Vulnerability] Post-authentication command injection vulnerability in the email sending function